	Application No.	Applicant(s)	
Notice of Allowability	09/689,139	CHEN, JOHN JIANHU	JA
	Examiner	Art Unit	
	Sandra M. Nolan	1772	
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS Is herewith (or previously mailed), a Notice of Allowance (PTOL-88 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT I of the Office or upon petition by the applicant. See 37 CFR 1.31	S (OR REMAINS) CLOSED in to the appropriate commun RIGHTS. This application is sure and MPEP 1308.	his application. If not included lication will be mailed in due co	urse. THIS
	, <u>, , , , , , , , , , , , , , , , , , </u>		
2. The allowed claim(s) is/are <u>1-19 and 32-35</u> .			
3. \boxtimes The drawings filed on <u>12 October 2000</u> are accepted by t	the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority of a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority of International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	ve been received. ve been received in Application	No	n from the
Applicant has THREE MONTHS FROM THE "MAILING DATE noted below. Failure to timely comply will result in ABANDON THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		reply complying with the requi	rements
5. A SUBSTITUTE OATH OR DECLARATION must be sub- INFORMAL PATENT APPLICATION (PTO-152) which gire			TICE OF
6. CORRECTED DRAWINGS (as "replacement sheets") may (a) including changes required by the Notice of Draftspe 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examine Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in	rson's Patent Drawing Review (r's Amendment / Comment or in 1.84(c)) should be written on the	n the Office action of drawings in the front (not the ba	ack) of
7. DEPOSIT OF and/or INFORMATION about the dep attached Examiner's comment regarding REQUIREMENT			te the
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB. Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Sun Paper No./M /08), 7. ⊠ Examiner's A	rmal Patent Application (PTO-1 nmary (PTO-413), lail Date mendment/Comment tatement of Reasons for Allowa	
S.M. Nolan RayFORD PRIMARY EXAMINED			

Application/Control Number: 09/689,139 Page 2

Art Unit: 1772

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

- 2. Authorization for this examiner's amendment was given in a telephone interview with Ms. Lisa Lindquist (952/563.3000) on 08 February 2005.
- 3. The application has been amended as follows:

In the Claims

In claim 10, line 1, "(Previously Amended)" has been changed to -- (Previously Presented) --.

Remarks

Claim 10 has been recaptioned.

* * *

REASONS FOR ALLOWANCE

- 4. The following is an examiner's statement of reasons for allowance:
- 5. Claims 1-19 and 32-35 are allowed.
- 6. The base claims are claims 1 and 12. They can be summarized as follows:

 Claim 1 covers a medical device comprising a dilatation balloon from a crosslinked polymeric material that is the reaction product of:
 - I) at least one polymer, and
 - II) at least one hydrolysable silane of the formula:

Application/Control Number: 09/689,139

Art Unit: 1772

$$X-Si(Z_{(3-m)})-Y_{m}$$

in which X is a monovalent nonhydrolyzable organic moiety having at least one functional W group that reacts with polymer I) so that a Si-C bond is present between Si and W, Y is a hydrolyzable group, Z is a monovalent hydrocarbon group, and m is an integer of from 1 to 3;

wherein the reaction product is reacted with moisture to produce polymeric material crosslinked with -Si—O—Si- linkages.

<u>Claim 12</u> covers a balloon catheter comprising a balloon made of a moisturecured polymeric material that is crosslinked through -Si—O—Si- linkages.

- 7. The prior art of record fails to teach or suggest dilatation balloons made from the moisture-crosslinked reaction products yielding -Si—O—Si- linkages.
- 8. The 35 USC 103 rejection based on Fritz et al (US 5,735,380) has been withdrawn in view of the arguments presented on pages 8-9 of the 04 November 2004 response.
- 9. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication should be addressed to Sandra M. Nolan-Rayford, at telephone number 571/272-1495. She can normally be reached Monday through Thursday, from 6:30 am to 4:00 pm, Eastern Time.

Application/Control Number: 09/689,139

Art Unit: 1772

If attempts to reach the examiner are unsuccessful, her supervisor, Harold Pyon, can be reached at 571/272-1498.

The fax number for patent application documents is 703/872-9306.

S. M. Nolon - Royford S. M. Nolan-Rayford

Primary Examiner

Technology Center 1700

09689139(20050114)

SANDRA M. NOLAN - RAY FOR D PRIMARY EXAMINER